

Anhang zu Tätigkeitsbericht Zucht 2014

Zuchtwerte aller geprüften Königinnen 2014

Landesverband	Züchter	Zuchtbuchnr.	Jahr	Inzuchtgrad Königin	Inzuchtgrad Arbeiterin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
50	52	50413	2013	5.6	0	119	99	101	98	115	106.4	Av
50	52	50401	2013	5.6	0	108	108	109	112	100	107.4	Av
50	52	50415	2013	5.6	0	112	109	110	115	100	109.2	Av
50	52	50402	2013	5.6	0	105	104	104	94	110	103.4	B
50	52	50417	2013	5.6	0	107	103	103	92	112	103.4	B
50	52	50397	2013	5.6	0	118	112	114	94	115	110.6	B
50	52	50399	2013	5.6	0	93	83	85	80	98	87.8	
50	52	50212	2013	5.6	0	100	92	92	85	110	95.8	
50	52	50032	2013	5.6	0	99	85	85	101	115	97.0	
50	58	30445	2013	4.3	1.6	98	111	110	99	113	106.2	Av
50	58	30434	2013	4.3	1.6	104	125	126	105	105	113.0	Av
50	58	30438	2013	4.3	1.6	84	91	94	97	64	86.0	
50	58	30433	2013	4.3	1.6	80	93	93	94	85	89.0	
50	58	30972	2013	4.3	1.6	90	96	94	86	113	95.8	
50	58	30437	2013	4.3	1.6	100	99	101	114	80	98.8	
50	58	30430	2013	4.3	1.6	108	92	91	108	96	99.0	
50	59	30288	2013	3.9	0	100	117	118	119	90	108.8	A
50	59	30296	2013	3.9	0	67	100	101	89	81	87.6	
50	59	30287	2013	3.9	0	93	98	97	87	104	95.8	
50	59	30289	2013	3.9	0	87	107	107	94	89	96.8	
50	59	30342	2013	3.9	0	105	97	96	91	105	98.8	
50	62	50203	2013	9.1	3.6	111	100	101	115	100	105.4	Av
50	62	50115	2013	9.1	3.6	117	110	109	120	112	113.6	Av
50	62	50202	2013	9.1	3.6	117	130	128	107	131	122.6	Av
50	62	50113	2013	9.1	3.6	106	93	93	100	106	99.6	B
50	62	50120	2013	9.1	3.6	108	100	100	92	101	100.2	B
50	62	50116	2013	9.1	3.6	108	97	96	92	116	101.8	B
50	62	50205	2013	9.1	3.6	94	83	81	86	104	89.6	
50	62	50209	2013	9.1	3.6	101	82	82	85	105	91.0	

Landesverband	Züchter	Zuchtbuchnr.	Jahr	Inzuchtgrad Königin	Inzuchtgrad Arbeiterin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
50	62	50208	2013	9.1	3.6	101	88	87	109	106	98.2	
50	66	30783	2013	0.6	0	101	112	115	122	69	103.8	A
50	66	30779	2013	0.6	0	103	107	105	108	110	106.6	A
50	66	30767	2013	0.6	0	99	124	124	107		113.5	
50	66	30690	2013	0.6	0	115	131	132	127	99	120.8	A
50	66	50369	2013	4.8	0	98	102	100	111	115	105.2	Av
50	66	30759	2013	0.6	0	102	112	111	99	106	106.0	Av
50	66	50385	2013	4.8	0	117	98	97	113	111	107.2	Av
50	66	30693	2013	0.6	0	101	122	122	96	101	108.4	Av
50	66	30651	2013	0.6	0	106	110	109	114	105	108.8	Av
50	66	30728	2013	5.5	1.6	93	105	103	94	105	100.0	B
50	66	30761	2013	0.6	0	96	113	116	100	78	100.6	B
50	66	30685	2013	0.6	0	98	109	108	88	111	102.8	B
50	66	30678	2013	0.6	0	98	105	102	86	126	103.4	B
50	66	30723	2013	0.6	0	93	117	117	98	94	103.8	B
50	66	30781	2013	0.6	0	99	109	106	93	121	105.6	B
50	66	30722	2013	0.6	0	105	109	107	94	117	106.4	B
50	66	30715	2013	0.6	0	103	112	111	91	109	105.2	V
50	66	30839	2013	5.5	1.6	85	88	90	94	78	87.0	
50	66	30699	2013	0.6	0	82	95	96	82	88	88.6	
50	66	30664	2013	0.6	0	82	98	100	92	77	89.8	
50	66	30817	2013	5.5	1.6	84	97	99	94	78	90.4	
50	66	30729	2013	5.5	1.6	84	95	94	81	102	91.2	
50	66	30777	2013	0.6	0	96	87	88	103	82	91.2	
50	66	50363	2013	4.8	0	92	86	86	87	106	91.4	
50	66	30675	2013	0.6	0	89	89	87	86	107	91.6	
50	66	50372	2013	4.8	0	89	89	89	98	99	92.8	
50	66	30837	2013	5.5	1.6	84	99	99	88	96	93.2	
50	66	30661	2013	0.6	0	94	95	97	91	90	93.4	
50	66	30825	2013	5.5	1.6	94	95	94	88	100	94.2	
50	66	50392	2013	4.8	0	100	81	80	107	103	94.2	
50	66	30711	2013	0.6	0	95	97	98	88	94	94.4	
50	66	30838	2013	5.5	1.6	82	107	107	88	96	96.0	

Landesverband	Züchter	Zuchtbuchnr.	Jahr	Inzuchtgrad Königin	Inzuchtgrad Arbeiterin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
50	66	30668	2013	0.6	0	86	98	96	83	117	96.0	
50	66	30665	2013	0.6	0	97	97	97	91	100	96.4	
50	66	30760	2013	0.6	0	101	95	95	111	84	97.2	
50	66	30755	2013	5.5	1.6	80	103	101	85	118	97.4	
50	66	30727	2013	5.5	1.6	99	101	103	96	90	97.8	
50	66	30771	2013	0.6	0	96	102	103	107	81	97.8	
50	66	30656	2013	0.6	0	102	93	92	86	121	98.8	
50	66	30659	2013	0.6	0	101	103	105	97	91	99.4	
50	66	30681	2013	0.6	0	98	104	104	97	95	99.6	
50	81	30340	2013	2.8	0	108	116	115	98	99	107.2	B
50	81	30358	2013	2.8	0	101	95	95	103	91	97.0	
50	82	30488	2013	0.6	0	100	115	114	106	94	105.8	A
50	82	30496	2013	0.6	0	107	96	96	105	97	100.2	B
50	82	30506	2013	0.6	0	98	105	106	114	90	102.6	B
50	82	30504	2013	0.6	0	88	89	89	83	91	88.0	
50	82	30514	2013	0.6	0	88	97	97	93		93.8	
50	82	30512	2013	0.6	0	101	90	89	86	103	93.8	
50	82	30490	2013	0.6	0	101	103	105	91	79	95.8	
50	82	30498	2013	0.6	0	101	101	101	85	96	96.8	
50	86	50090	2013	1.8	0	112	111	110	115		112.0	A
50	86	50322	2013	1.8	0	116	115	115	102	115	112.6	Av
50	86	50096	2013	1.8	0	115	95	96	111	110	105.4	B
50	86	50321	2013	1.8	0	112	101	99	91	131	106.8	B
50	90	23032	2013	0	0	101	110	110	100	99	104.0	A
50	90	23030	2013	0	0	109	105	105	104		105.8	A
50	90	23034	2013	0	0	107	101	99	111	120	107.6	Av
50	90	23045	2013	0	0	88	96	98	98	82	92.4	
50	90	23039	2013	0	0	90	91	91	91	101	92.8	
50	90	23033	2013	0	0	100	85	83	86	112	93.2	
50	90	23043	2013	0	0	97	94	95	106	85	95.4	
50	90	23031	2013	0	0	104	88	87	110	105	98.8	
50	91	60189	2013	0	0	111	105	103	110	115	108.8	Av
50	91	60188	2013	0	0	116	98	99	88	100	100.2	B

Landesverband	Züchter	Zuchtbuchnr.	Jahr	Inzuchtgrad Königin	Inzuchtgrad Arbeiterin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
50	91	60196	2013	0	0	94	112	109	84	129	105.6	B
50	91	60192	2013	0	0	71	95	96	87	78	85.4	
50	91	60191	2013	0	0	91	97	98	93	85	92.8	
50	91	60201	2013	0	0	100	95	95	93		95.8	
50	91	60193	2013	0	0	100	97	94	86	121	99.6	
50	106	30423	2013	3.9	0	99	101	99	111	101	102.2	Av
50	106	30408	2013	3.9	0	100	104	104	101		102.3	B
50	106	30415	2013	3.9	0	89	88	88	91	84	88.0	
50	106	30416	2013	3.9	0	97	88	88	84	94	90.2	
50	106	30413	2013	3.9	0	96	93	95	97	78	91.8	
50	106	30424	2013	3.9	0	93	97	97	89	95	94.2	
50	106	30412	2013	3.9	0	97	95	95	96		95.8	
50	133	10388	2013	0	0	125	125	126	113	101	118.0	Av
50	133	10400	2013	0	0	105	90	92	91	75	90.6	
50	133	10404	2013	0	0	94	92	91	86	110	94.6	
50	133	10396	2013	0	0	104	97	98	97	82	95.6	
50	133	10390	2013	0	0	95	102	103	101	83	96.8	
50	134	10490	2013	0	0	109	104	105	112	86	103.2	A
50	134	10491	2013	0	0	106	107	107	105	98	104.6	A
50	134	10489	2013	0	0	105	105	106	133	80	105.8	A
50	134	10499	2013	0	0	111	106	107	117	90	106.2	A
50	134	10479	2013	0	0	105	106	104	121	107	108.6	Av
50	134	10493	2013	0	0	115	109	108	129	111	114.4	Av
50	134	10484	2013	0	0	120	110	109	125	112	115.2	Av
50	134	10480	2013	0	0	98	99	101	126	73	99.4	
50	135	50195	2013	9.1	3.6	120	120	117	118	135	122.0	Av
50	135	50201	2013	9.1	3.6	101	101	100	83	126	102.2	B
50	135	50196	2013	9.1	3.6	106	104	103	91	124	105.6	B
50	135	50215	2013	9.1	3.6	106	104	103	93	122	105.6	B
50	135	50055	2013	9.1	3.6	97	87	88	92	98	92.4	
50	135	50140	2013	9.1	3.6	107	91	93	94	97	96.4	
50	136	30894	2013	2.5	0	111	126	127	120	93	115.4	A
50	136	30892	2013	2.5	0	111	125	125	101	109	114.2	Av

Landesverband	Züchter	Zuchtbuchnr.	Jahr	Inzuchtgrad Königin	Inzuchtgrad Arbeiterin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
50	136	30905	2013	2.5	0	82	115	112	81	116	101.2	B
50	136	30898	2013	2.5	0	99	113	115	94	85	101.2	B
50	136	30891	2013	2.5	0	87	89	89	87		88.0	
50	136	30907	2013	2.5	0	91	100	103	101	84	95.8	
50	143	50016	2013	7.4	9	108	92	92	88	118	99.6	B
50	143	50019	2013	7.4	9	108	93	93	97	112	100.6	B
50	143	50023	2013	7.4	9	102	98	96	81	128	101.0	B
50	143	50026	2013	7.4	9	112	103	102	93	125	107.0	B
50	143	50020	2013	7.4	9	100	98	99	83	111	98.2	
51	25	8211	2013	1.1	2.3	100	108	109	119	90	105.2	A
51	25	5872	2013	1.1	2.3	102	105	105	102	103	103.4	Av
51	25	6862	2013	2.1	1.3	101	99	97	106	115	103.6	Av
51	25	6257	2013	1.1	2.3	95	103	100	111	110	103.8	Av
51	25	6127	2013	2.1	1.3	98	109	107	103	111	105.6	Av
51	25	6790	2013	2.1	1.3	110	107	106	110	103	107.2	Av
51	25	9103	2013	1.1	2.3	94	111	110	115	102	106.4	B
51	25	7671	2013	1.1	2.3	86	69	69	89	90	80.6	
51	25	9277	2013	2.1	1.3	89	76	77	82	89	82.6	
51	25	1604	2013	2.1	1.3	92	81	82	83	89	85.4	
51	25	7012	2013	2.1	1.3	91	85	87	85	85	86.6	
51	25	1847	2013	1.1	2.3	98	79	78	96	99	90.0	
51	25	1735	2013	2.1	1.3	88	87	85	89	108	91.4	
51	25	1521	2013	2.1	1.3	93	86	85	99	97	92.0	
51	25	5762	2013	2.1	1.3	104	83	86	109	80	92.4	
51	25	1733	2013	2.1	1.3	97	92	92	95	96	94.4	
51	25	7599	2013	2.1	1.3	92	93	92	102	95	94.8	
51	25	2912	2013	1.1	2.3	82	95	93	107	104	96.2	
51	25	6463	2013	2.1	1.3	96	95	94	98	104	97.4	
51	25	4968	2013	1.1	2.3	95	96	95	102	100	97.6	
51	25	6683	2013	1.1	2.3	98	94	94	103	100	97.8	
51	25	1064	2013	2.1	1.3	96	95	92	95	117	99.0	
51	25	6831	2013	1.1	2.3	97	95	92	98	116	99.6	
51	26	7732	2013	1.7	2.2	107	110	113	108	76	102.8	A

Landesverband	Züchter	Zuchtbuchnr.	Jahr	Inzuchtgrad Königin	Inzuchtgrad Arbeiterin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
51	26	1316	2013	1.7	2.2	112	117	120	101	85	107.0	A
51	26	5021	2013	1.7	2.2	100	109	110	95	101	103.0	Av
51	26	6585	2013	1.7	2.2	92	80	83	87	67	81.8	
51	26	1169	2013	1.7	2.2	95	83	82	76	102	87.6	
51	26	9251	2013	1.7	2.2	104	87	91	104	73	91.8	
51	26	5072	2013	1.7	2.2	100	95	95	84	98	94.4	
51	26	8122	2013	1.7	2.2	98	95	95	92	99	95.8	
51	26	4131	2013	1.7	2.2	103	99	100	97	91	98.0	
51	68	6877	2013	1.8	2.5	105	116	116	118	99	110.8	A
51	68	6052	2013	1.8	2.5	102	103	102	96	105	101.6	Av
51	68	1254	2013	1.8	2.5	100	90	91	100	90	94.2	
51	68	5882	2013	1.8	2.5	101	98	98	93	97	97.4	
51	79	8726	2013	1.9	8.6	95	117	117	101	105	107.0	Av
51	79	6116	2013	1.9	8.6	86	80	77	73	115	86.2	
51	79	5592	2013	1.9	8.6	84	82	82	95	90	86.6	
51	79	3372	2013	1.9	8.6	97	80	81	101	83	88.4	
51	79	8582	2013	1.9	8.6	101	87	87	94	93	92.4	
51	79	8846	2013	1.9	8.6	94	84	81	91	113	92.6	
51	79	7187	2013	1.9	8.6	95	85	82	96	110	93.6	
51	79	1508	2013	1.9	8.6	95	95	93	95	106	96.8	
51	123	6592	2013	2.1	1.8	97	111	113	102	84	101.4	B
51	123	4712	2013	2.1	1.8	105	111	114	99	81	102.0	B
51	123	2146	2013	2.1	1.8	97	84	86	101	71	87.8	
51	123	5506	2013	2.1	1.8	99	89	90	91	85	90.8	
51	123	1377	2013	2.1	1.8	106	92	94	92	83	93.4	
51	123	8629	2013	2.1	1.8	103	95	97	90	89	94.8	
51	123	5468	2013	2.1	1.8	105	92	93	96	92	95.6	
51	123	9176	2013	2.1	1.8	98	97	98	102	89	96.8	
51	140	7470	2013	2.5	2.8	102	99	98	101	103	100.6	Av
51	140	4289	2013	2.5	2.8	104	104	103	110	101	104.4	Av
51	140	8147	2013	2.5	2.8	99	104	107	119	74	100.6	B
51	140	3164	2013	2.5	2.8	100	86	86	92	89	90.6	
51	140	9192	2013	2.5	2.8	95	90	92	102	78	91.4	

Landesverband	Züchter	Zuchtbuchnr.	Jahr	Inzuchtgrad Königin	Inzuchtgrad Arbeiterin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
51	140	2574	2013	2.5	2.8	94	97	98	97	88	94.8	
51	140	2308	2013	2.5	2.8	97	96	97	102	86	95.6	
51	140	3663	2013	2.5	2.8	90	99	99	101	93	96.4	
51	140	9675	2013	2.5	2.8	100	97	98	105	88	97.6	
51	144	6845	2013	1.4	2.4	100	105	106	110	91	102.4	A
51	144	1549	2013	1.4	2.4	86	82	83	89	83	84.6	
51	144	9701	2013	1.4	2.4	92	84	85	97	89	89.4	
51	144	3562	2013	1.4	2.4	92	85	86	107	81	90.2	
51	144	3888	2013	1.4	2.4	93	88	89	100	87	91.4	
51	144	2610	2013	1.4	2.4	86	100	102	96	78	92.4	
51	144	1590	2013	1.4	2.4	98	91	93	103	80	93.0	
51	144	7930	2013	1.4	2.4	94	94	95	112	83	95.6	
51	144	8705	2013	1.4	2.4	95	95	96	102	90	95.6	
51	144	9866	2013	1.4	2.4	103	92	93	107	92	97.4	
51	144	1338	2013	1.4	2.4	93	97	96	99	104	97.8	
51	169	5985	2013	3.3	1.2	100	101	99	104	113	103.4	Av
51	169	6955	2013	3.3	1.2	101	116	117	95	101	106.0	Av
51	169	6553	2013	3.3	1.2	90	110	111	109	89	101.8	B
51	169	2056	2013	3.3	1.2	88	83	83	76	89	83.8	
51	169	5406	2013	3.3	1.2	95	92	95	100	73	91.0	
51	169	3067	2013	3.3	1.2	94	97	98	92	91	94.4	
51	169	5660	2013	3.3	1.2	96	97	98	97	89	95.4	
51	169	4522	2013	3.3	1.2	102	99	100	93	93	97.4	
51	169	2918	2013	3.3	1.2	95	104	107	102	81	97.8	
51	169	1216	2013	3.3	1.2	97	103	103	88	103	98.8	
51	208	3492	2013	2.4	1.9	102	109	112	101	79	100.6	A
51	208	1480	2013	2.4	1.9	105	104	104	110	97	104.0	A
51	208	3911	2013	2.4	1.9	105	105	104	114	97	105.0	A
51	208	6435	2013	2.4	1.9	101	115	116	116	92	108.0	A
51	208	8505	2013	2.4	1.9	107	113	112	116	99	109.4	A
51	208	1454	2013	2.4	1.9	103	101	101	102	108	103.0	Av
51	208	6947	2013	2.4	1.9	110	104	104	99	100	103.4	Av
51	208	9140	2013	2.4	1.9	109	111	109	114	107	110.0	Av

Landesverband	Züchter	Zuchtbuchnr.	Jahr	Inzuchtgrad Königin	Inzuchtgrad Arbeiterin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
51	208	8668	2013	2.4	1.9	111	122	122	107	106	113.6	Av
51	208	6679	2013	1.8	2.2	90	102	100	91	121	100.8	B
51	208	8474	2013	2.4	1.9	82	83	83	85	84	83.4	
51	208	3486	2013	1.8	2.2	88	81	78	70	123	88.0	
51	208	1378	2013	1.8	2.2	93	92	93	91	88	91.4	
51	208	2532	2013	1.8	2.2	85	93	94	86	102	92.0	
51	208	8490	2013	1.8	2.2	90	96	98	84	93	92.2	
51	208	2185	2013	2.4	1.9	98	87	87	102	91	93.0	
51	208	1729	2013	1.8	2.2	92	84	81	93	119	93.8	
51	208	1517	2013	1.8	2.2	87	94	95	109	86	94.2	
51	208	6329	2013	1.8	2.2	99	96	97	94	92	95.6	
51	208	2226	2013	1.8	2.2	95	95	95	94	102	96.2	
51	208	6101	2013	1.8	2.2	91	100	100	101	101	98.6	
51	208	9729	2013	2.4	1.9	106	97	97	102	95	99.4	
51	241	5163	2013	1.9	2.3	91	83	82	106	85	89.4	
51	241	4339	2013	1.9	2.3	95	86	85	107	91	92.8	
51	241	1926	2013	1.9	2.3	93	89	88	96	101	93.4	
51	241	9901	2013	1.9	2.3	98	93	95	113	73	94.4	
51	241	4278	2013	1.9	2.3	96	90	89	110	94	95.8	
51	241	7394	2013	1.9	2.3	100	90	90	109	90	95.8	
51	241	4148	2013	1.9	2.3	89	93	92	121	85	96.0	
51	241	6565	2013	1.9	2.3	92	97	97	109	88	96.6	
51	241	3907	2013	1.9	2.3	96	97	97	107	89	97.2	
51	260	4025	2013	0.7	0	102	112	115	114	77	104.0	A
51	260	2810	2013	0.7	0	98	103	101	100	108	102.0	Av
51	260	8579	2013	0.7	0	107	101	100	94	110	102.4	Av
51	260	5009	2013	0.7	0	102	105	105	102	102	103.2	Av
51	260	2176	2013	0.7	0	109	105	104	109	107	106.8	Av
51	260	4988	2013	0.7	0	101	114	113	94	111	106.6	B
51	260	5712	2013	0.7	0	87	88	89	83		86.8	
51	260	4072	2013	0.7	0	92	94	95	102	88	94.2	
51	260	1147	2013	0.7	0	97	100	103	92	83	95.0	
51	260	1398	2013	0.7	0	96	95	96	108	89	96.8	

Landesverband	Züchter	Zuchtbuchnr.	Jahr	Inzuchtgrad Königin	Inzuchtgrad Arbeiterin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
51	260	6669	2013	0.7	0	97	98	98	98	99	98.0	
51	260	7114	2013	0.7	0	101	97	97	95	103	98.6	
51	262	5747	2013	0.7	0	98	76	76	87	94	86.2	
51	262	4027	2013	0.7	0	91	90	90	91	92	90.8	
51	262	1921	2013	0.7	0	101	91	94	93	76	91.0	
51	262	2659	2013	0.7	0	101	90	92	90	88	92.2	
51	262	2286	2013	0.7	0	101	103	107	109	67	97.4	
51	262	7416	2013	0.7	0	101	101	101	89	96	97.6	
51	263	2010	2013	2.8	0.9	104	111	113	115	83	105.2	A
51	263	2554	2013	2.8	0.9	100	119	120	112	89	108.0	A
51	263	1237	2013	2.8	0.9	101	104	103	104	101	102.6	Av
51	263	6803	2013	2.8	0.9	98	108	108	101	94	101.8	B
51	263	2672	2013	2.8	0.9	85	89	89	77	94	86.8	
51	263	4063	2013	2.8	0.9	94	96	95	87	101	94.6	
51	263	2555	2013	2.8	0.9	95	100	100	96	95	97.2	
51	263	7351	2013	2.8	0.9	101	100	99	82	106	97.6	
51	263	4511	2013	2.8	0.9	92	102	101	99	94	97.6	
51	263	9426	2013	2.8	0.9	103	100	101	96	90	98.0	
51	263	1907	2013	2.8	0.9	102	101	100	92	100	99.0	
51	264	7411	2013	3.6	2.3	103	111	114	113	79	104.0	A
51	264	2586	2013	3.6	2.3	97	107	106	100	108	103.6	Av
51	264	3940	2013	3.6	2.3	91	110	108	93	108	102.0	B
51	264	5358	2013	3.6	2.3	97	108	108	114	94	104.2	B
51	264	8215	2013	3.6	2.3	97	110	108	93	115	104.6	B
51	264	9874	2013	3.6	2.3	97	81	83	102	79	88.4	
51	264	1662	2013	3.6	2.3	98	86	86	87	94	90.2	
51	264	8309	2013	3.6	2.3	97	95	99	103	72	93.2	
51	264	9310	2013	3.6	2.3	96	91	91	92	99	93.8	
51	264	1968	2013	3.6	2.3	93	88	87	108	100	95.2	
51	264	1576	2013	3.6	2.3	106	98	100	96	88	97.6	
52	11	64	2013	0	0	97	102	103	96	97	99.0	
52	11	65	2013	0	0	95	102	103	100	88	97.6	
52	11	67	2013	0	0	94	94	94	90	99	94.2	

Landesverband	Züchter	Zuchtbuchnr.	Jahr	Inzuchtgrad Königin	Inzuchtgrad Arbeiterin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
52	11	103	2013	0	0	97	97	97	95	92	95.6	
52	11	104	2013	0	0	96	89	89	90	97	92.2	
52	11	105	2013	0	0	102	83	83	91	100	91.8	
52	11	106	2013	0	0	97	101	101	92	101	98.4	
52	11	107	2013	0	0	98	105	105	100	103	102.2	
52	11	108	2013	0	0	90	91	92	91	93	91.4	
52	12	468	2013	0	0	101	96	96	96	96	97.0	
52	12	469	2013	0	0	88	90	90	85	93	89.2	
52	12	471	2013	0	0	88	91	91	91	96	91.4	
52	12	477	2013	0	0	93	100	100	97	95	97.0	
52	12	480	2013	0	0	97	102	102	92	97	98.0	
52	13	810	2013	0	0	88	101	103	101	82	95.0	
52	13	814	2013	0	0	102	103	102	82	119	101.6	
52	13	815	2013	0	0	93	95	95	94	95	94.4	
52	13	816	2013	0	0	91	104	104	98	94	98.2	
52	13	817	2013	0	0	92	90	88	91	101	92.4	
52	13	818	2013	0	0	90	97	97	96	89	93.8	
52	13	819	2013	0	0	98	92	92	93	101	95.2	
52	13	820	2013	0	0	85	83	82	88	90	85.6	
52	14	583	2013	0	1.9	86	66	66	85	81	76.8	
52	14	584	2013	0	1.9	89	88	89	94	85	89.0	
52	14	585	2013	0	1.9	104	105	108	107	77	100.2	
52	15	295	2013	0	0	97	107	107	98	97	101.2	
52	15	297	2013	0	0	93	108	106	97	112	103.2	
52	15	299	2013	0	0	90	94	94	92	100	94.0	
52	15	300	2013	0	0	88	92	90	89	103	92.4	
52	15	302	2013	0	0	92	96	95	82	101	93.2	
52	15	303	2013	0	0	85	93	93	92	91	90.8	
52	16	129	2013	0	0	96	100	100	96	95	97.4	
52	16	130	2013	0	0	94	87	90	87	75	86.6	
52	16	131	2013	0	0	99	103	104	98	89	98.6	
52	16	132	2013	0	0	97	97	95	92	109	98.0	
52	16	134	2013	0	0	94	102	102	99	103	100.0	

Landesverband	Züchter	Zuchtbuchnr.	Jahr	Inzuchtgrad Königin	Inzuchtgrad Arbeiterin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
52	16	138	2013	0	0	98	88	88	95	90	91.8	
52	17	251	2013	0	0	93	103	104	101	86	97.4	
52	17	255	2013	0	0	88	97	94	85	113	95.4	
52	17	256	2013	0	0	90	77	76	86	98	85.4	
52	17	257	2013	0	0	97	102	103	101	88	98.2	
52	17	258	2013	0	0	96	92	92	94	97	94.2	
52	17	259	2013	0	0	89	77	78	80	91	83.0	
52	17	260	2013	0	0	93	86	87	99	88	90.6	
52	17	261	2013	0	0	91	94	95	95	88	92.6	
52	17	398	2013	0	0	88	89	89	90	90	89.2	
52	17	399	2013	0	0	97	109	109	100	102	103.4	
52	17	400	2013	0	0	93	89	91	94	84	90.2	
52	17	401	2013	0	0	83	77	75	81	99	83.0	
52	17	402	2013	0	0	100	110	109	98	111	105.6	
52	17	403	2013	0	0	92	77	76	82	107	86.8	
52	17	404	2013	0	0	100	110	111	103	93	103.4	
52	17	405	2013	0	0	90	89	90	92	86	89.4	
52	17	406	2013	0	0	87	77	78	88	78	81.6	
52	17	407	2013	0	0	91	109	111	102	82	99.0	
52	17	408	2013	0	0	98	110	109	98	110	105.0	
52	17	409	2013	0	0	88	78	77	84	90	83.4	
52	18	382	2013	0	0	91	93	91	97	110	96.4	
52	18	388	2013	0	0	86	98	98	86	93	92.2	
52	18	389	2013	0	0	93	98	100	85	83	91.8	
52	18	390	2013	0	0	89	95	95	94	101	94.8	
52	18	391	2013	0	0	91	95	94	93	96	93.8	
52	18	392	2013	0	0	84	87	88	95	86	88.0	
52	18	403	2013	0	0	97	99	99	98	99	98.4	
52	19	443	2013	0	0	100	97	98	97	94	97.2	
52	19	444	2013	0	0	90	95	97	90	82	90.8	
52	19	448	2013	0	0	106	106	106	104	104	105.2	
52	19	449	2013	0	0	92	99	99	98	91	95.8	
52	19	450	2013	0	0	88	94	94	93	93	92.4	

Landesverband	Züchter	Zuchtbuchnr.	Jahr	Inzuchtgrad Königin	Inzuchtgrad Arbeiterin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
52	19	451	2013	0	0	96	83	85	97	74	87.0	
52	20	84	2013	0	0	94	86	84	89	110	92.6	
52	20	88	2013	0	0	95	99	100	100	87	96.2	
52	20	91	2013	0	0	96	95	95	96	94	95.2	
52	20	93	2013	0	0	90	94	93	95	97	93.8	
52	20	94	2013	0	0	94	79	79	90	89	86.2	
52	20	95	2013	0	0	87	77	76	90	101	86.2	
52	20	96	2013	0	0	86	78	78	88	85	83.0	
52	21	59	2013	0	0	97	103	104	101	91	99.2	
52	21	64	2013	0	0	96	95	95	90	110	97.2	
52	21	66	2013	0	0	87	84	81	82	118	90.4	
52	21	72	2013	0	0	95	95	97	96	85	93.6	
52	22	11	2013	0	0	78	80	78	81	104	84.2	
52	22	18	2013	0	0	92	90	91	96	80	89.8	
52	22	25	2013	0	0	85	82	84	90	81	84.4	
52	22	40	2013	0	0	78	85	86	89	72	82.0	
52	22	44	2013	0	0	96	111	113	105	87	102.4	
52	22	45	2013	0	0	89	87	87	89	93	89.0	
52	22	225	2013	0	0	95	100	101	96	90	96.4	
52	23	103	2013	0	0	88	86	84	84	110	90.4	
52	23	110	2013	0	0	91	83	84	89	88	87.0	
52	23	112	2013	0	0	99	106	108	101	84	99.6	
52	23	113	2013	0	0	84	86	85	89	88	86.4	
52	23	115	2013	0	0	104	102	102	98	101	101.4	
52	23	117	2013	0	0	114	109	109	101	114	109.4	
52	23	280	2013	0	0	95	100	100	93	102	98.0	

Rassenzuchtorganisationen

50 VSMB
51 SAR
52 SCIV

Herdebuchkategorie*

B Durchschnitt aller Zuchtwerte $\geq 100\%$
A alle Zuchtwerte ≥ 100 , ausser Varroa
Av Varroaindex ≥ 100 , zwei weitere Indexe ≥ 100
und die restlichen ≥ 95

*Die einzelnen Kategorien sind im Herdebuchreglement detailliert beschrieben.