

## Anhang zu Tätigkeitsbericht Zucht 2020

### Zuchtwerte aller geprüften Königinnen Jahrgang 2019

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
50	59	10268	2019	106	103	99	93	112	103
50	59	10276	2019	107	100	99	97	106	102
50	59	10302	2019	103	103	102	99	108	103
50	62	50117	2019	107	84	89	115	106	100
50	62	50132	2019	107	96	102	111	108	105
50	62	50136	2019	109	95	99	106	105	103
50	62	50137	2019	97	98	101	104	105	101
50	62	50138	2019	90	98	102	106	104	100
50	62	50160	2019	93	103	105	100	106	101
50	62	50167	2019	100	94	98	106	106	101
50	62	50175	2019	97	96	98	105	101	99
50	62	50550	2019	95	102	106	103	105	102
50	62	50555	2019	97	95	98	104	106	100
50	62	50557	2019	98	96	98	105	106	101
50	66	70006	2019	102	93	94	113	110	102
50	66	70008	2019	100	98	96	108	118	104
50	66	70019	2019	107	101	98	98	114	104
50	66	70029	2019	105	99	99	100	87	98
50	66	70039	2019	88	121	116	85	108	104
50	66	70040	2019	98	116	112	94	110	106
50	66	70041	2019	111	103	105	113	111	109
50	66	70044	2019	99	99	100	110	110	104
50	66	70049	2019	122	87	92	123	96	104
50	66	70059	2019	90	116	112	91	113	104
50	66	70069	2019	95	110	109	102	104	104
50	66	70072	2019	105	100	103	112	104	105
50	66	70077	2019	99	109	107	95	106	103
50	66	70085	2019	86	116	111	89	110	102
50	66	70086	2019	103	99	99	110	106	103

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
50	66	70087	2019	97	115	116	101	97	105
50	66	70300	2019	102	99	98	106	113	104
50	66	70313	2019	107	94	93	109	115	104
50	66	70314	2019	110	91	90	111	117	104
50	66	70315	2019	127	80	79	119	118	105
50	66	70316	2019	95	104	102	101	91	99
50	66	70318	2019	87	116	114	94	102	103
50	66	70319	2019	88	114	112	93	101	102
50	66	70321	2019	95	104	102	99	93	99
50	66	70323	2019	84	118	117	91	91	100
50	66	70326	2019	89	121	120	93	108	106
50	66	70342	2019	86	118	117	91	93	101
50	66	70347	2019	100	108	106	101	114	106
50	66	70348	2019	99	107	106	101	105	104
50	66	70902	2019	96	107	109	105	102	104
50	66	70905	2019	111	102	104	108	94	104
50	66	70906	2019	100	99	100	106	99	101
50	66	70910	2019	93	110	109	103	115	106
50	66	70915	2019	110	96	99	112	104	104
50	66	70917	2019	101	99	98	104	108	102
50	66	70918	2019	98	95	93	104	104	99
50	66	70921	2019	105	103	106	106	105	105
50	66	70923	2019	104	106	105	100	107	104
50	66	70924	2019	104	97	97	106	100	101
50	66	70926	2019	108	94	95	112	96	101
50	66	70928	2019	103	97	98	106	100	101
50	66	70929	2019	108	99	104	116	100	105
50	66	70931	2019	87	118	116	93	106	104
50	66	70932	2019	110	97	97	104	111	104
50	66	70933	2019	94	99	97	102	102	99
50	66	70936	2019	106	93	93	116	113	104
50	66	70937	2019	100	104	101	98	103	101
50	66	70940	2019	113	91	92	116	102	103
50	66	70944	2019	104	102	105	109	105	105
50	66	70949	2019	111	90	93	122	92	102

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
50	66	70950	2019	93	112	111	97	101	103
50	66	70951	2019	81	118	114	87	110	102
50	66	70953	2019	117	89	94	123	105	106
50	82	30036	2019	99	113	111	87	103	103
50	82	30096	2019	101	110	109	90	96	101
50	82	30106	2019	96	112	108	81	101	100
50	82	30128	2019	110	104	106	98	108	105
50	82	30155	2019	101	110	105	82	103	100
50	82	30158	2019	90	120	116	79	104	102
50	82	30159	2019	93	120	117	78	114	104
50	106	30109	2019	103	81	82	106	89	92
50	106	30111	2019	99	97	95	100	103	99
50	106	30115	2019	105	82	81	105	100	95
50	110	30008	2019	88	104	103	96	100	98
50	110	30013	2019	86	106	104	89	89	95
50	110	30016	2019	102	95	96	102	96	98
50	110	30018	2019	102	102	104	100	84	98
50	110	30019	2019	96	103	102	96	98	99
50	110	30021	2019	93	103	103	97	98	99
50	110	30022	2019	92	102	102	97	97	98
50	110	30035	2019	106	95	98	106	104	102
50	121	10043	2019	123	82	87	119	96	101
50	121	10052	2019	118	90	93	113	92	101
50	121	10056	2019	111	86	86	113	93	98
50	121	10100	2019	107	96	99	106	90	100
50	121	10102	2019	109	93	95	108	100	101
50	121	10107	2019	107	85	86	109	108	99
50	121	10234	2019	112	86	89	111	101	100
50	121	10236	2019	119	86	90	116	95	101
50	121	10239	2019	111	86	87	111	95	98
50	125	10182	2019	130	77	79	120	85	98
50	125	10186	2019	116	92	93	107	91	100
50	125	10190	2019	125	82	84	114	102	101
50	125	10191	2019	119	95	97	106	103	104
50	125	10192	2019	111	96	95	103	103	102

Rassenzucht- organisation	Züchter	Zuchtbuchn.r.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
50	125	10193	2019	110	94	94	104	99	100
50	125	10196	2019	127	84	88	117	97	103
50	125	10197	2019	104	97	96	101	100	100
50	129	40459	2019	109	91	95	115	93	101
50	129	40460	2019	110	88	91	116	90	99
50	129	40464	2019	99	93	95	108	87	96
50	129	40468	2019	115	76	81	122	89	97
50	129	40470	2019	106	88	91	116	87	98
50	129	40476	2019	104	98	102	111	94	102
50	129	40479	2019	105	90	93	112	93	99
50	129	40483	2019	100	92	94	110	86	96
50	133	10323	2019	104	90	94	107	107	100
50	133	10324	2019	106	91	94	109	110	102
50	133	10328	2019	105	95	97	102	97	99
50	133	10329	2019	107	93	97	108	109	103
50	133	10334	2019	102	91	93	105	112	101
50	133	10335	2019	101	95	97	104	109	101
50	133	10336	2019	118	92	96	111	98	103
50	133	10376	2019	105	103	103	100	93	101
50	133	10377	2019	125	89	92	116	98	104
50	133	10382	2019	120	91	93	113	93	102
50	133	10383	2019	124	81	85	121	103	103
50	133	10389	2019	124	83	89	117	96	102
50	133	10391	2019	109	95	96	106	94	100
50	133	10408	2019	111	100	101	103	98	103
50	135	50111	2019	98	99	98	90	117	100
50	135	50112	2019	109	87	89	96	114	99
50	135	50118	2019	112	91	90	92	114	100
50	135	50120	2019	118	76	77	109	115	99
50	135	50122	2019	111	86	89	102	116	101
50	135	50123	2019	125	70	73	113	114	99
50	135	50250	2019	111	88	88	96	109	98
50	135	50257	2019	111	87	88	102	117	101
50	135	50259	2019	120	82	85	106	112	101
50	135	50260	2019	113	87	89	100	114	101

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanfmut	Wabensitz	Schwarm- neigung	Varroindex	Durchschnitt
50	140	50221	2019	101	96	96	93	104	98
50	140	50223	2019	120	91	91	100	107	102
50	140	50238	2019	119	86	87	102	105	100
50	140	50240	2019	109	91	89	95	103	97
50	140	50241	2019	117	80	81	106	105	98
50	150	70301	2019	102	91	89	109	101	98
50	150	70304	2019	96	109	109	100	101	103
50	150	70305	2019	113	88	87	113	97	100
50	150	70309	2019	94	102	101	103	84	97
50	150	70310	2019	99	107	107	102	105	104
50	150	70325	2019	93	111	111	99	108	104
50	150	70329	2019	100	101	100	104	104	102
50	150	70330	2019	97	108	107	101	94	101
50	150	70331	2019	97	98	96	105	86	96
50	150	70336	2019	109	92	91	110	104	101
50	150	70338	2019	120	93	94	112	87	101
50	150	70339	2019	94	105	104	102	96	100
50	150	70344	2019	109	91	90	111	85	97
50	150	70919	2019	111	90	91	112	100	101
50	150	70948	2019	104	101	100	105	95	101
50	154	10662	2019	119	96	98	107	108	106
50	154	10663	2019	108	102	102	100	101	103
50	154	10665	2019	122	87	89	112	105	103
50	154	10667	2019	104	98	97	100	113	102
50	154	10670	2019	120	87	90	112	104	103
50	154	10671	2019	113	97	98	103	105	103
50	154	10672	2019	108	100	100	103	104	103
50	154	10679	2019	118	81	84	115	101	100
50	155	50376	2019	95	93	93	98	123	100
50	155	50380	2019	98	84	85	102	108	95
50	155	50381	2019	94	98	99	98	110	100
50	155	50383	2019	98	90	91	100	111	98
50	155	50384	2019	92	96	95	95	110	98
50	155	50389	2019	99	88	87	102	108	97
50	155	50392	2019	109	87	89	105	112	100

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroindex	Durchschnitt
50	155	50401	2019	94	95	94	92	110	97
50	155	50413	2019	88	101	99	89	106	97
50	159	60004	2019	77	102	98	96	92	93
50	159	60008	2019	80	102	100	96	100	96
50	159	60011	2019	71	115	112	87	95	96
50	159	60014	2019	78	111	109	93	100	98
50	159	60031	2019	70	109	106	91	88	93
50	159	60033	2019	81	96	93	99	91	92
50	159	60042	2019	76	108	105	92	98	96
50	160	30083	2019	93	95	91	90	99	94
50	160	30084	2019	93	99	95	84	102	95
50	160	30087	2019	98	84	81	96	101	92
50	160	30270	2019	83	99	94	80	102	92
50	162	50223	2019	117	89	94	104	115	104
50	162	50321	2019	110	93	96	101	104	101
50	162	50324	2019	111	89	92	103	107	100
50	162	50326	2019	112	94	95	95	108	101
50	162	50329	2019	104	95	99	100	105	101
50	162	50330	2019	104	99	101	96	107	101
50	162	50332	2019	111	89	92	103	103	100
50	162	50333	2019	111	92	93	98	107	100
50	162	50337	2019	106	93	97	100	109	101
50	162	50338	2019	101	99	99	92	106	99
50	162	50339	2019	106	93	94	98	106	99
50	162	50342	2019	113	97	101	98	106	103
50	162	50344	2019	109	100	102	96	112	104
51	22	1398	2019	78	86	81	86	99	86
51	22	2932	2019	80	91	86	97	88	88
51	22	3970	2019	81	91	87	101	94	91
51	22	6101	2019	84	92	89	101	93	92
51	22	8579	2019	83	93	89	100	98	93
51	24	1604	2019	100	104	102	106	96	102
51	24	5592	2019	101	106	103	103	95	102
51	24	6116	2019	94	105	102	102	99	100
51	24	6607	2019	99	103	98	101	98	100

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	24	7054	2019	102	105	104	105	99	103
51	24	7267	2019	102	114	110	106	98	106
51	24	7394	2019	105	104	102	102	98	102
51	24	8582	2019	102	110	106	101	99	104
51	24	8846	2019	99	111	107	104	99	104
51	25	1378	2019	93	102	100	101	99	99
51	25	1662	2019	94	98	98	107	93	98
51	25	2093	2019	88	97	97	113	90	97
51	25	2610	2019	94	101	98	101	91	97
51	25	3706	2019	90	95	95	106	88	95
51	25	3940	2019	95	98	98	104	89	97
51	25	4061	2019	97	105	104	94	98	100
51	25	4278	2019	82	90	89	110	92	93
51	25	4339	2019	88	91	90	113	92	95
51	25	4840	2019	92	97	99	113	93	99
51	25	4968	2019	100	100	99	99	92	98
51	25	5021	2019	94	102	100	86	94	95
51	25	5044	2019	95	101	99	98	94	97
51	25	6257	2019	100	102	100	98	100	100
51	25	6312	2019	103	102	102	95	100	100
51	25	6751	2019	98	101	100	98	92	98
51	25	7018	2019	82	90	92	110	92	93
51	25	7331	2019	97	103	102	96	96	99
51	25	7409	2019	94	81	85	100	97	91
51	25	8215	2019	97	98	99	98	94	97
51	25	8594	2019	96	97	98	99	96	97
51	25	9459	2019	101	104	101	99	93	100
51	25	9874	2019	95	90	93	106	93	95
51	29	1169	2019	97	77	80	104	86	89
51	29	2231	2019	89	89	89	96	91	91
51	29	3131	2019	94	83	82	103	87	90
51	29	3731	2019	98	89	88	104	86	93
51	29	4025	2019	95	84	84	106	88	91
51	29	4597	2019	96	67	72	104	88	85
51	29	7727	2019	90	80	74	98	89	86

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	29	9254	2019	92	82	82	103	88	89
51	36	1508	2019	91	93	95	102	84	93
51	36	1847	2019	86	93	95	101	87	92
51	36	1923	2019	83	97	94	107	84	93
51	36	2056	2019	82	95	91	107	89	93
51	36	2292	2019	92	97	96	106	95	97
51	36	3067	2019	88	91	90	108	92	94
51	36	3911	2019	88	94	93	106	87	94
51	36	4641	2019	89	99	102	103	90	97
51	36	5506	2019	83	95	97	89	87	90
51	36	5872	2019	87	94	96	105	92	95
51	36	6197	2019	93	94	93	104	89	95
51	36	6369	2019	85	99	99	103	89	95
51	36	6394	2019	85	91	96	104	87	93
51	36	6955	2019	91	99	96	107	89	96
51	36	7416	2019	90	94	93	105	90	94
51	36	7822	2019	91	98	101	95	89	95
51	36	7891	2019	89	94	95	99	86	93
51	36	8159	2019	86	89	87	103	90	91
51	36	9103	2019	85	94	96	101	89	93
51	91	1031	2019	76	77	79	105	83	84
51	91	2762	2019	82	84	84	105	78	87
51	91	4108	2019	78	85	85	99	81	86
51	91	6464	2019	79	88	89	104	81	88
51	91	6565	2019	80	85	85	102	84	87
51	91	6818	2019	76	84	85	91	81	83
51	91	6877	2019	80	84	86	105	82	87
51	91	8482	2019	78	89	89	103	80	88
51	93	1316	2019	85	89	85	100	85	89
51	93	4581	2019	85	89	83	99	82	88
51	93	4857	2019	85	83	74	95	87	85
51	93	5072	2019	89	91	86	98	91	91
51	93	5985	2019	82	84	80	93	88	85
51	93	6461	2019	79	87	79	96	84	85
51	93	6585	2019	82	86	82	104	85	88



Rassenzucht- organisation	Züchter	Zuchtbuchn.r.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	93	9286	2019	88	74	75	104	86	85
51	122	1521	2019	92	73	75	103	89	86
51	122	1733	2019	79	71	66	93	86	79
51	122	3562	2019	84	77	75	100	87	85
51	122	5570	2019	93	83	80	102	91	90
51	122	5660	2019	85	81	78	102	92	88
51	122	5762	2019	86	75	71	101	85	84
51	122	6060	2019	88	74	71	101	84	84
51	122	7187	2019	89	80	78	100	89	87
51	122	7200	2019	82	73	67	101	91	83
51	122	7599	2019	90	78	74	101	84	85
51	122	9803	2019	89	82	78	103	83	87
51	146	1237	2019	91	86	85	110	96	94
51	146	2554	2019	82	67	67	109	94	84
51	146	6151	2019	82	84	84	102	94	89
51	146	7816	2019	81	87	89	109	98	93
51	146	8505	2019	79	88	88	106	92	91
51	208	2146	2019	85	92	92	105	95	94
51	208	4050	2019	86	96	94	106	89	94
51	208	4728	2019	82	99	100	107	89	95
51	208	6592	2019	83	92	90	98	87	90
51	208	8629	2019	84	86	87	98	94	90
51	208	8655	2019	89	86	89	108	87	92
52	7	1	2019	90	90	90	93	94	91
52	7	3	2019	86	94	92	93	95	92
52	7	12	2019	90	93	92	90	96	92
52	7	33	2019	88	94	92	95	95	93
52	13	27	2019	84	84	81	96	81	85
52	13	28	2019	84	76	75	91	83	82
52	13	30	2019	86	87	85	94	82	87
52	13	33	2019	84	83	80	96	81	85
52	13	300	2019	85	84	81	96	82	86
52	21	2	2019	76	82	80	84	88	82
52	21	6	2019	83	79	76	81	88	81
52	21	7	2019	74	77	77	81	88	79

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	21	11	2019	78	79	77	80	87	80
52	21	12	2019	85	82	80	84	90	84
52	21	17	2019	92	93	93	92	94	93
52	21	20	2019	85	89	88	89	90	88
52	21	23	2019	87	93	91	92	93	91
52	21	27	2019	85	87	87	89	91	88
52	21	28	2019	87	92	91	91	92	91
52	21	31	2019	85	85	86	89	91	87
52	21	45	2019	76	69	67	79	88	76
52	21	57	2019	90	88	88	89	93	90
52	22	84	2019	83	87	84	79	93	85
52	22	96	2019	87	87	86	80	91	86
52	22	97	2019	82	89	88	82	85	85
52	22	105	2019	81	86	86	80	92	85
52	22	110	2019	83	86	83	81	86	84
52	22	112	2019	81	89	89	68	94	84
52	22	117	2019	83	94	92	88	96	91
52	22	118	2019	81	93	90	87	96	89
52	22	120	2019	78	93	90	89	96	89
52	22	121	2019	80	88	86	92	96	88
52	22	127	2019	78	92	88	91	95	89
52	22	129	2019	85	92	88	91	95	90
52	22	160	2019	76	87	85	82	90	84
52	22	164	2019	75	86	84	82	89	83
52	22	178	2019	77	86	85	82	88	84
52	22	183	2019	76	92	90	87	90	87
52	22	184	2019	81	93	92	88	90	89
52	23	68	2019	85	94	92	93	95	92
52	23	69	2019	93	96	95	95	97	95
52	23	73	2019	89	92	90	93	97	92
52	23	199	2019	93	92	90	95	96	93
52	24	4	2019	92	94	93	86	86	90
52	24	14	2019	92	99	99	89	84	93
52	24	18	2019	86	99	97	89	87	92
52	24	21	2019	84	99	97	91	83	91

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	24	22	2019	89	94	93	87	83	89
52	24	25	2019	86	100	99	88	82	91
52	26	75	2019	94	92	94	90	80	90
52	26	76	2019	87	88	87	73	84	84
52	26	77	2019	92	93	94	87	75	88
52	26	78	2019	89	92	91	84	85	88
52	26	79	2019	93	94	96	86	83	90
52	26	84	2019	91	99	101	87	81	92
52	26	85	2019	94	95	94	86	73	88
52	26	86	2019	97	95	97	87	83	92
52	26	88	2019	74	82	83	86	80	81
52	26	89	2019	87	89	89	82	86	87
52	26	96	2019	79	89	85	84	83	84
52	26	97	2019	80	88	87	83		85
52	26	98	2019	79	85	84	83		83
52	26	99	2019	76	88	86	83		83
52	32	262	2019	77	83	79	100		85
52	32	265	2019	73	87	83	92	82	83
52	32	268	2019	76	85	81	99	82	85
52	32	279	2019	81	85	81	103	78	86
52	32	280	2019	77	85	81	103	80	85
52	40	91	2019	86	77	80	94	93	86
52	40	94	2019	82	85	84	94	100	89
52	40	95	2019	83	81	82	92		85
52	40	96	2019	83	91	90	93		89
52	40	99	2019	89	92	93	95		92
52	40	100	2019	89	90	90	93	95	91
52	40	101	2019	85	90	91	93	94	91
52	380	36	2019	88	83	83	97	87	88
52	380	41	2019	87	87	87	99	85	89
52	380	42	2019	78	81	80	84	84	81
52	380	52	2019	88	88	87	100	86	90
52	380	53	2019	90	89	89	98	86	90
52	380	55	2019	86	88	86	96	84	88
52	467	2	2019	89	91	92	79		88

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	467	4	2019	89	90	90	79		87
52	467	5	2019	80	89	87	77		83
52	467	6	2019	79	86	86	78	89	84
52	467	7	2019	88	89	90	77	92	87
52	467	8	2019	82	87	87	78	92	85
52	467	19	2019	79	79	84	75	95	82
52	467	22	2019	85	99	97	74	90	89
52	707	2	2019	81	72	71	102	72	80
52	707	3	2019	89	76	77	103	79	85
52	707	4	2019	83	78	75	100	83	84
52	707	6	2019	83	76	74	102	81	83
52	707	10	2019	86	81	79	106	82	87
52	707	12	2019	90	82	81	106	80	88
52	707	16	2019	86	81	79	106	80	86
52	707	18	2019	83	84	81	104	77	86
52	707	19	2019	83	72	69	103	79	81
52	790	21	2019	83	89	87	107	84	90
52	790	22	2019	83	88	86	107	81	89
52	790	25	2019	75	86	84	101	86	86
52	790	30	2019	76	91	87	101	84	88
52	790	31	2019	80	93	91	107	86	91
52	790	32	2019	86	86	81	106	85	89

### Rassenzuchtorganisationen

50 Mellifera

51 SAR

52 SCIV